

Author Index

- Abiru, Y., see Shimoke, K. (101) 197
- Aijón, J., see García-Ojeda, E. (101) 177
- Albright, C.D., see Holmes-McNary, M.Q. (101) 9
- Alonso, J.R., see García-Ojeda, E. (101) 177
- Alvarez, C., see Berger, B. (101) 207
- Arévalo, R., see García-Ojeda, E. (101) 177
- Baudoin, C., see Heuzé, P. (101) 81
- Bazzy, A.R., see Breugelmans, J.G. (101) 277
- Berger, B., Alvarez, C. and Pelaprat, D.
Retrosplenial/presubicular continuum in primates: a developmental approach in fetal macaques using neurotensin and parvalbumin as markers (101) 207
- Berger, R., Jensen, A., Hossmann, K.-A. and Paschen, W.
No effect of glutamate on metabolic disturbances in hippocampal slices of mature fetal guinea pigs after transient in vitro ischemia (101) 49
- Berger-Sweeney, J., see Ricceri, L. (101) 273
- Berman, N.E.J., Johnson, J.K. and Klein, R.M.
Early generation of glia in the intermediate zone of the developing cerebral cortex (101) 149
- Berretta, N., see Ruberti, F. (101) 295
- Birdsall, N.J.M., see Court, J.A. (101) 93
- Blohm, D.H., see Heck, S. (101) 85
- Boelen, M.K., see Yang, D.S. (101) 57
- Breugelmans, J.G. and Bazzy, A.R.
Developmental differences in endplate response to P-type calcium channel blockade in the rat diaphragm (101) 277
- Brien, J.F., see Cook, M.N. (101) 283
- Briñón, J.G., see García-Ojeda, E. (101) 177
- Calamandrei, G., see Ricceri, L. (101) 273
- Cattaneo, A., see Ruberti, F. (101) 295
- Cherubini, E., see Ruberti, F. (101) 295
- Christ, F., see Kapfhammer, J.P. (101) 257
- Cole, G.J. and Lee, J.-A.
Immunocytochemical localization of a novel radial glial intermediate filament protein (101) 225
- Conner, J.M. and Varon, S.
Developmental profile of NGF immunoreactivity in the rat brain: a possible role of NGF in the establishment of cholinergic terminal fields in the hippocampus and cortex (101) 67
- Cook, M.N., Marks, G.S., Vreman, H.J., McLaughlin, B.E., Nakatsu, K., Stevenson, D.K. and Brien, J.F.
Carbon monoxide formation in the guinea pig hippocampus: ontogeny and effect of in vitro ethanol exposure (101) 283
- Court, J.A., Lloyd, S., Johnson, M., Griffiths, M., Birdsall, N.J.M., Piggott, M.A., Oakley, A.E., Ince, P.G., Perry, E.K. and Perry, R.H.
Nicotinic and muscarinic cholinergic receptor binding in the human hippocampal formation during development and aging (101) 93
- Crespo, C., see García-Ojeda, E. (101) 177
- Cynader, M.S., see Kojic, L. (101) 299
- Douglas, R.M., see Kojic, L. (101) 299
- Enokido, Y., see Shimoke, K. (101) 197
- Enz, R., see Heck, S. (101) 85
- Erzurumlu, R.S., Lo, F.-S., Günhan-Agar, E. and Guido, W.
Functional connectivity in the rodent trigeminal pathway grown in vitro (101) 37
- Escobar del Rey, F., see Martínez-Galan, J.R. (101) 249
- Ewusi, A., see Ricceri, L. (101) 273
- Féron, C., see Heuzé, P. (101) 81
- Font, E., see Pérez-Cañellas, M.M. (101) 125
- Franklin, S.O.
Changes in proenkephalin gene expression in the developing hamster (101) 239
- Friauf, E., see Kungel, M. (101) 107
- Friedman, L.K.
Developmental switch in phenotypic expression of preproenkephalin mRNA and $^{45}\text{Ca}^{2+}$ accumulation following kainate-induced status epilepticus (101) 287
- García-Ojeda, E., Alonso, J.R., Crespo, C., Weruaga, E., Briñón, J.G., Arévalo, R. and Aijón, J.
Transient expression of NADPH-diaphorase/nitric oxide synthase in the paratenial nucleus of the rat thalamus (101) 177
- García-Verdugo, J.M., see Pérez-Cañellas, M.M. (101) 125
- Gould, E., Tanapat, P. and McEwen, B.S.
Activation of the type 2 adrenal steroid receptor can rescue granule cells from death during development (101) 265
- Griffiths, M., see Court, J.A. (101) 93
- Gu, Q., see Kojic, L. (101) 299
- Guido, W., see Erzurumlu, R.S. (101) 37
- Günhan-Agar, E., see Erzurumlu, R.S. (101) 37
- Hatanaka, H., see Shimoke, K. (101) 197
- Heck, S., Enz, R., Richter-Landsberg, C. and Blohm, D.H.
Expression of eight metabotropic glutamate receptor subtypes during neuronal differentiation of P19 embryocarcinoma cells: a study by RT-PCR and in situ hybridization (101) 85
- Heuzé, P., Féron, C. and Baudoin, C.
Early behavioral development of mice is affected by staggerer mutation as soon as postnatal day three (101) 81
- Holmes-McNary, M.Q., Loy, R., Mar, M.-H., Albright, C.D. and Zeisel, S.H.
Apoptosis is induced by choline deficiency in fetal brain and in PC12 cells (101) 9
- Hossmann, K.-A., see Berger, R. (101) 49
- Ikeuchi, T., see Shimoke, K. (101) 197
- Ince, P.G., see Court, J.A. (101) 93
- Jensen, A., see Berger, R. (101) 49
- Johnson, J.K., see Berman, N.E.J. (101) 149
- Johnson, M., see Court, J.A. (101) 93
- Kapfhammer, J.P., Christ, F. and Schwab, M.E.
The growth-associated protein GAP-43 is specifically expressed in tyrosine hydroxylase-positive cells of the rat retina (101) 257
- Klein, R.M., see Berman, N.E.J. (101) 149
- Kojic, L., Gu, Q., Douglas, R.M. and Cynader, M.S.
Serotonin facilitates synaptic plasticity in kitten visual cortex: an in vitro study (101) 299
- Kortekaas, P. and Wadman, W.J.
Development of HVA and LVA calcium currents in pyramidal CA1 neurons in the hippocampus of the rat (101) 139
- Kubo, T., see Shimoke, K. (101) 197
- Kungel, M., Piechotta, K., Rietzel, H.-J. and Friauf, E.
Influence of the neuropeptide somatostatin on the development of dendritic morphology: a cysteamine-depletion study in the rat auditory brainstem (101) 107
- Lee, J.-A., see Cole, G.J. (101) 225
- Linial, M., see Parnas, D. (101) 115
- Lipska, B.K., see Wood, G.K. (101) 17

- Lloyd, S., see Court, J.A. (101) 93
 Lo, F.-S., see Erzurumlu, R.S. (101) 37
 Loy, R., see Holmes-McNary, M.Q. (101) 9
- Mar, M.-H., see Holmes-McNary, M.Q. (101) 9
 Marks, G.S., see Cook, M.N. (101) 283
 Martinez-Galan, J.R., Pedraza, P., Santacana, M., Escobar del Rey, F., Morreale de Escobar, G. and Ruiz-Marcos, A.
 Myelin basic protein immunoreactivity in the internal capsule of neonates from rats on a low iodine intake or on methylmercaptimidazole (MMI) (101) 249
 McEwen, B.S., see Gould, E. (101) 265
 McKanna, J.A., see Zhang, M.-Z. (101) 27
 McLaughlin, B.E., see Cook, M.N. (101) 283
 Morgan, I.G., see Yang, D.S. (101) 57
 Morreale de Escobar, G., see Martinez-Galan, J.R. (101) 249
- Nabetani, M., see Wada, H. (101) 1
 Nakamura, H., see Wada, H. (101) 1
 Nakatsu, K., see Cook, M.N. (101) 283
 Numakawa, T., see Shimoke, K. (101) 197
- Oakley, A.E., see Court, J.A. (101) 93
 Okada, Y., see Wada, H. (101) 1
- Parnas, D. and Linial, M.
 Acceleration of neuronal maturation of P19 cells by increasing culture density (101) 115
 Paschen, W., see Berger, R. (101) 49
 Pedraza, P., see Martinez-Galan, J.R. (101) 249
 Pelapat, D., see Berger, B. (101) 207
 Pérez-Cañellas, M.M., Font, E. and García-Verdugo, J.M.
 Postnatal neurogenesis in the telencephalon of turtles: evidence for nonradial migration of new neurons from distant proliferative ventricular zones to the olfactory bulbs (101) 125
- Perry, E.K., see Court, J.A. (101) 93
 Perry, R.H., see Court, J.A. (101) 93
 Piechotta, K., see Kungel, M. (101) 107
 Piggott, M.A., see Court, J.A. (101) 93
 Prusky, G., see Ramoa, A.S. (101) 165
- Raabe, E.H., Yoshida, K. and Schwarting, G.A.
 Differential laminin isoform expression in the developing rat olfactory system (101) 187
 Ramoa, A.S. and Prusky, G.
 Retinal activity regulates developmental switches in functional properties and ifenprodil sensitivity of NMDA receptors in the lateral geniculate nucleus (101) 165
 Ricceri, L., Ewusi, A., Calamandrei, G. and Berger-Sweeney, J.
 Sexually dimorphic effects of anti-NGF treatment in neonatal rats (101) 273
 Richter-Landsberg, C., see Heck, S. (101) 85
 Rietzel, H.-J., see Kungel, M. (101) 107
 Rose, S.P.R., see Sui, N. (101) 269
 Ruberti, F., Berretta, N., Cattaneo, A. and Cherubini, E.
 NGF antibodies impair long-term depression at the mossy fibre-CA3 synapse in the developing hippocampus (101) 295
 Ruiz-Marcos, A., see Martinez-Galan, J.R. (101) 249
- Sandi, C., see Sui, N. (101) 269
 Santacana, M., see Martinez-Galan, J.R. (101) 249
 Schwab, M.E., see Kapfhammer, J.P. (101) 257
 Schwarting, G.A., see Raabe, E.H. (101) 187
 Shimoke, K., Kubo, T., Numakawa, T., Abiru, Y., Enokido, Y., Takei, N., Ikeuchi, T. and Hatanaka, H.
 Involvement of phosphatidylinositol-3 kinase in prevention of low K^+ -induced apoptosis of cerebellar granule neurons (101) 197
- Stevenson, D.K., see Cook, M.N. (101) 283
 Sui, N., Sandi, C. and Rose, S.P.R.
 Interactions of corticosterone and embryonic light deprivation on memory retention in day-old chicks (101) 269
- Takei, N., see Shimoke, K. (101) 197
 Tanapat, P., see Gould, E. (101) 265
- Varon, S., see Conner, J.M. (101) 67
 Vreman, H.J., see Cook, M.N. (101) 283
- Wada, H., Okada, Y., Nabetani, M. and Nakamura, H.
 The effects of lactate and β -hydroxybutyrate on the energy metabolism and neural activity of hippocampal slices from adult and immature rat (101) 1
 Wadman, W.J., see Kortekaas, P. (101) 139
 Weinberger, D.R., see Wood, G.K. (101) 17
 Weruaga, E., see García-Ojeda, E. (101) 177
 Wood, G.K., Lipska, B.K. and Weinberger, D.R.
 Behavioral changes in rats with early ventral hippocampal damage vary with age at damage (101) 17
- Yang, D.S., Boelen, M.K. and Morgan, I.G.
 Development of the enkephalin-, neurotensin- and somatostatin-like (ENSLI) amacrine cells in the chicken retina (101) 57
 Yoshida, K., see Raabe, E.H. (101) 187
- Zeisel, S.H., see Holmes-McNary, M.Q. (101) 9
 Zhang, M.-Z. and McKanna, J.A.
 Gliogenesis in postnatal rat optic nerve: LC1 + microglia and S100- β + astrocytes (101) 27

